

Products



Diacell® PanoramicDAC

RELATED PRODUCTS:

- Diacell® Bragg- (G)
- Bohler Almax PlateDAC
- Bohler μ Driller
- Diacell® GM Controller
- Diacell® iGM Controller
- Optiprex Ruby Line
- Bohler-Almax Design 3.3 mm Anvils

RELATED ACCESSORIES:

- Ruby Powder
- Anvil Support Plates
- Gasket Indenter
- Gas Membrane
- Diacell® easyGlue
- Diacell® Horizon

Diacell® PanoramicDAC

Diamond anvil cell (DAC) for Brillouin, NRIXS, NFS and other experimental techniques.

- ◆ The Diacell® PanoramicDAC is suitable for many applications such as Mossbauer, Raman, Brillouin spectroscopies, nuclear resonant inelastic X-ray scattering (NRIXS), nuclear forward scattering (NFS) techniques;
- ◆ The cell enables measurements both via its three large azimuthal openings (through gasket) or the conventional axial conical apertures (through diamond anvils);
- ◆ The 3 side ports on the Diacell® PanoramicDAC have openings of 105° (azimuthal) by 67° (axial);
- ◆ In the Diacell® PanoramicDAC, high pressures are generated by Almax easyLab proprietary gas membrane, although it can also be operated manually via a set of clamping screws;
- ◆ Maximum pressure of up to above 100 GPa may be obtained with the Diacell® PanoramicDAC.

Technical Specifications:

Cell Material	Maraging steel
Anvil Support Plate	Tungsten carbide
Pressure Mechanism/ Maximum Pressure	Gas membrane or screws / >100 GPa
Top/Bottom Angles	18° Conical, 62° Conical
Azimuthal Ports (3)	105° (azimuthal) by 67° (axial)
DAC Diameter / Height	59 mm / 76 mm
Working Distance to Sample	19 mm
Numerical Aperture	0.50

Specifications subject to change without prior notice.
easyLab and Diacell are registered trademarks of Almax easyLab

www.almax-easyLab.com

Almax easyLab bv
Wagenmakerijstraat 5
8600 Diksmuide
Belgium
Ph: +32 51 55 56 37

Almax easyLab Inc (For US and Canada)
Harvard Square -1, Mifflin Place
Cambridge, MA 02138,
United States of America
Ph: + 1 617 701 7245

