

Products



RELATED PRODUCTS:

- Diacell® Bragg-LT(S)
- Diacell® Bragg-LT (G)
- Diacell® ST-DAC System
- Optiprex Ruby Line
- Böhler µDriller

RELATED ACCESSORIES:

- Diamond Anvils
- Gasket Blanks
- Ruby Powder
- Diacell® Gasket Indenter
- Diacell® easyGlue
- Diacell® Horizon
- Diacell® Load Jig
- Diacell® TPress

Diacell® TozerDAC X-ray

Innovative turnbuckle diamond anvil cell for X-ray applications at room and low temperatures.

- ◆ The Diacell® TozerDAC X-ray was developed in collaboration with Prof. Stan Tozer (FSU & NHMFL), who had the idea to use the turnbuckle concept in DACs;
- ◆ The principle of turnbuckles is rather simple. Applying such concept to a DAC means that the turnbuckle draws opposing diamond anvils together to generate high pressures;
- ◆ Careful machining of the cell and carefully polished diamond anvils - both of which are hallmarks of Almax easyLab - address translation and tilt alignment issues;
- ◆ The Diacell® TozerDAC has a dedicated Loading jig and a special easyLab® Tpress which allows the user to apply the force uniformly and also to measure the load on the TozerDAC;
- ◆ The Diacell® TozerDAC X-ray is very small (12 mm diameter, 11 mm height) so it can be easily accommodated in any commercial X-ray instrument. The cell can also be used in conjunction with cryogenic jet coolers for use at low temperatures;
- ◆ Pressures up to 20 GPa are achievable.

Technical Specifications:

Cell Material	High Strength Copper Beryllium
Anvil Support Plate	Super-alloy MP35N
Pressure Mechanism	Turnbuckle drive
Maximum Pressure	20 GPa
Top/Bottom Angles	X-ray: 82° Conical
DAC Diameter / Height	12 mm / 11 mm
Working Distance to Sample	5 mm
Numerical Aperture	0.68

Specifications subject to change without prior notice.
easyLab and Diacell are registered trademarks of Almax easyLab



www.almax-easyLab.com

Almax easyLab bv
Wagenmakerijstraat 5
8600 Diksmuide
Belgium
Ph: +32 51 55 56 37

Almax easyLab Inc (For US and Canada)
Harvard Square -1, Mifflin Place
Cambridge, MA 02138,
United States of America
Ph: + 1 617 701 7245